



ASSA ABLOY

# SAFETY DATA SHEET

## PYROPANEL INTULXSK

Infosafe No.: LQBFF  
ISSUED Date : 31/10/2022  
ISSUED by: ASSA ABLOY AUSTRALIA PTY LTD

### Section 1 - Identification

**Product Identifier**

PYROPANEL INTULXSK

**Company Name**

ASSA ABLOY AUSTRALIA PTY LTD (ABN 90 086 451 907)

**Address**

235 Huntingdale Road Oakleigh  
VIC 3166 Australia

**Telephone/Fax Number**

Tel: 03 9837 8500

**Emergency Phone Number**

+613 9837 8500 (24 hours)

**E-mail Address**

sales@pyropanel.com.au

**Recommended use of the chemical and restrictions on use**

Firestopping

**Other Names**

Name
PYROPANEL INTULFSK

### Section 2 - Hazard(s) Identification

**GHS classification of the substance/mixture**

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

**IMPORTANT NOTE(S)**

The product does give potential for generation of respirable dust during drilling and cutting the board. Occupational exposure to respirable dust should be monitored and controlled.

### Section 3 - Composition and Information on Ingredients

**Ingredients**

Name	CAS	Proportion
Magnesium Silicate (talc)	14807-96-6	25-<50 %
Kaolin	1332-58-7	<5 %
Ingredient determined not to be hazardous	Not required	Balance

## Section 4 - First Aid Measures

---

### Inhalation

Not considered a potential route of exposure under normal conditions of storage.

If exposure to dust occurs as a result such as drilling and dry cutting the board: remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

### Ingestion

Not considered a potential route of exposure. If contents ingested, do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

### Skin

Not considered a potential route of exposure. If exposed to dust from board, wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

### Eye

Not considered a potential route of exposure. If exposed to dust, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.

### First Aid Facilities

Eyewash and normal washroom facilities.

### Advice to Doctor

Treat symptomatically.

### Other Information

For advice in an emergency, contact a Poisons Information Centre or a doctor at once.(131 126)

## Section 5 - Firefighting Measures

---

### Suitable Extinguishing Media

Water spray. Carbon dioxide. Dry powder.

### Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen and phosphorous.

### Specific hazards arising from the chemical

Not available

### Decomposition Temperature

Not available

### Precautions in connection with Fire

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from safe location.

## Section 6 - Accidental Release Measures

---

### Emergency Procedures

Wear appropriate personal protective equipment and clothing to prevent exposure. Pick up the boards carefully and avoid creating dust. Clean area with a vacuum cleaner. Collect the dust which generated from the board and place into a suitable labelled container. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

## Section 7 - Handling and Storage

---

### Precautions for Safe Handling

The potential for hazardous exposure exists if dust generated. eg. dry cutting, sanding or drilling.

Use only in a well ventilated area. Prevent the build up of dusts in the work atmosphere. Avoid breathing dust. Establish good housekeeping practices. Remove dust accumulations on a regular basis by vacuuming to avoid creating dust clouds. Contaminated work clothing should not be allowed out of the workplace. Maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking, smoking or using toilet facilities.

If high speed dry sawing or grinding is carried out, provide adequate ventilation and dust extraction. Carry out periodical air quality testing to verify the effectiveness of the extraction system. Preventative Maintenance tasks are recommended to ensure effectiveness extraction system.

### Conditions for safe storage, including any incompatibilities

Store in a cool, dry, ventilated area away from sources of heat, moisture and incompatibilities (see Section 10). Protect from weather and prevent exposure to sustained moisture. Protect product from physical damage. Warehouse storage should be in accordance with package directions.

## Section 8 - Exposure Controls and Personal Protection

---

### Occupational exposure limit values

No exposure standards have been established for the mixture. However, the available exposure limits for ingredients are listed below:

Magnesium Silicate Hydrate (TALC)

TWA: 2.5 mg/m<sup>3</sup>

Kaolin

TWA: 10 mg/m<sup>3</sup> (inspirable dust)

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

Source: Safe Work Australia.

### Biological Monitoring

No biological limits allocated.

### Control Banding

Not available

### Engineering Controls

Use with good general ventilation. If dusts are produced, an exhaust ventilation should be used.

### Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable dust filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

### Eye and Face Protection

Safety glasses with side shields, full face shield or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 (series)- Eye Protectors for Industrial Applications.

### Hand Protection

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

### Thermal Hazards

No further relevant information available.

### Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended.

## Section 9 - Physical and Chemical Properties

Properties	Description	Properties	Description
Form	Article	Appearance	Solid
Colour	Gray	Odour	Odourless
Melting Point	Approx. 95°C	Boiling Point	Not applicable
Decomposition Temperature	Not available	Solubility in Water	Nearly insoluble in water.
pH	Not available	Vapour Pressure	Not applicable
Relative Vapour Density (Air=1)	Not applicable	Evaporation Rate	Not applicable
Odour Threshold	Not available	Viscosity	Not applicable
Partition Coefficient: n-octanol/water (log value)	Not applicable	Density	1.2 g/cm <sup>3</sup>
Flash Point	Not applicable	Flammability	Not available
Auto-Ignition Temperature	Not available	Explosion Limit - Upper	Not applicable
Explosion Limit - Lower	Not applicable	Explosion Properties	Not explosive. If dust is formed : Risk of dust explosion.

## Section 10 - Stability and Reactivity

### Reactivity

Not available

### Chemical Stability

Stable under normal conditions of storage and handling.

### Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### Conditions to Avoid

High temperature. Avoid dust formation. Material foams up at approximately 150°C.

### Incompatible Materials

Not available

### Hazardous Decomposition Products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen and phosphorous.

## Section 11 - Toxicological Information

### Toxicology Information

No toxicology data available for this product.

### Ingestion

Ingestion unlikely due to form of product. Ingestion of the contents of the board may irritate the gastric tract causing nausea and vomiting.

### Inhalation

Inhalation of dust from contents of board may irritate the respiratory system.

### Skin

Skin contact may cause mechanical irritation resulting in redness and itching.

**Eye**

No adverse effects expected under normal conditions of use. Exposure to contents may be irritating to eyes. The symptoms may include redness, itching and tearing.

**Respiratory Sensitisation**

Not expected to be a respiratory sensitiser.

**Skin Sensitisation**

Not expected to be a skin sensitiser.

**Germ Cell Mutagenicity**

Not considered to be a mutagenic hazard.

**Carcinogenicity**

Not considered to be a carcinogenic hazard as its form (board/panel). Magnesium Silicate (talc) is listed as Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

**Reproductive Toxicity**

Not considered to be toxic to reproduction.

**STOT - Single Exposure**

Not expected to cause toxicity to a specific target organ.

**STOT - Repeated Exposure**

Not expected to cause toxicity to a specific target organ as its form.

**Aspiration Hazard**

Not considered to be an aspiration hazard.

## Section 12 - Ecological Information

---

**Ecotoxicity**

No ecological data available for this material.

**Persistence and degradability**

Not available

**Mobility**

Not available

**Bioaccumulative Potential**

Not available

**Other Adverse Effects**

Not available

**Environmental Protection**

Prevent this material entering waterways, drains and sewers.

**Hazardous to the Ozone Layer**

This product is not expected to deplete the ozone layer.

## Section 13 - Disposal Considerations

---

**Disposal Considerations**

Dispose of waste according to applicable local and national regulations. To minimise personal exposure to the chemical, refer to Section 8 — Exposure controls and personal protection.

## Section 14 - Transport Information

---

**Transport Information**

Road and Rail Transport

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**ADG U.N. Number**

None Allocated

**ADG Proper Shipping Name**

None Allocated

**ADG Transport Hazard Class**

None Allocated

**Special Precautions for User**

Not available

**IMDG Marine pollutant**

No

**Transport in Bulk**

Not available

## Section 15 - Regulatory Information

---

**Regulatory Information**

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Poisons Schedule**

Not Scheduled

**Montreal Protocol**

Not listed

**Stockholm Convention**

Not listed

**Rotterdam Convention**

Not listed

**International Convention for the Prevention of Pollution from Ships (MARPOL)**

Not available

**Agricultural and Veterinary Chemicals Act 1994**

Not available

**Basel Convention**

Not available

## Section 16 - Any Other Relevant Information

---

**Date of Preparation**

SDS created: October 2022

**Version Number**

1.0

**Literature References**

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Code of Practice for Supply Diversion into Illicit Drug Manufacture.

National Code of Practice for Chemicals of Security Concern.  
Agricultural Compounds and Veterinary Chemicals Act.  
International Agency for Research on Cancer (IARC) Monographs.  
Montreal Protocol on Substances that Deplete the Ozone Layer.  
Stockholm Convention on Persistent Organic Pollutants (POPs).  
Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.  
Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal.  
International Air Transport Association (IATA) Dangerous Goods Regulations.  
International Maritime Dangerous Goods (IMDG) Code.  
Workplace exposure standards for airborne contaminants.  
Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).  
Globally Harmonised System of Classification and Labelling of Chemicals. (7th revised edition)  
Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

## **END OF SDS**

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.